

Sterifast

# SealPro 7

Sealer with integrated printing · 7" screen

Parque Empresarial do Padrão, Lote 11, 5460-343 Boticas, Portugal | +351 276 418 287 | info@sterifast.com | www.sterifast.com

C-ST-SP7-2026-10

01 / OVERVIEW

# SealPro 7 at a glance

SealPro 7 seals and prints paper-plastic pouches and reels before sterilization. It has a stainless steel housing, a 7" touch screen and lets you save and transfer sealing data.




## Technical specifications

| | |
|---|---|
| **Control system** | 7" colour capacitive touch screen |
| **Housing** | Stainless steel |
| **Sealing speed** | 10 ± 0.5 m/min |
| **Sealing width** | 12 mm |
| **Sealing margin** | 0–35 mm (adjustable) |
| **Working temperature** | 60–220 °C (adjustable) |
| **Sealing pressure** | 85 ± 15 N |
| **Power** | 500 W |

02 / FUNCTIONS

# Functions and controls

## Sealing and printing

Seals and prints paper-plastic pouches and reels before sterilization.



### 7" touch screen

Colour capacitive screen with graphical interface.

### Stainless steel

Stainless steel housing.

### Sealing data

Printing records can be saved and transferred.

### Built-in clock

Small, medium or large printing size.

### Counter

Forward/backward counter for sealing quantity.

### Temperature protection

Stops automatically if the sealing temperature exceeds ±4 °C.

03 / PACKAGING

# Printing, data and materials

## Printing and traceability

Integrated printing while sealing. Printing records can be saved and transferred. Built-in clock, printing in small, medium or large size and forward/backward counter.




### Compatible

- Paper-plastic pouches and rolls complying with EN 868-5
- High-density polyethylene materials (e.g. Tyvek)
- Aluminium composite

### Not compatible

- Paper bags
- Polyethylene film
- Nylon or polypropylene film
- Soft or rigid PVC

### Standards

The sealer meets the requirements for sealing machines of ISO 11607-2 and EN 868-5.

| | |
|---|---|
| **ISO 11607-2** | Validation requirements for sealing processes of packaging for terminally sterilized medical devices. |
| **EN 868-5** | Heat-sealable and self-sealable pouches and reels of paper and plastic film for medical devices to be sterilized. |
| **ISO 15223-1** | Symbols for labelling and information to be supplied by the manufacturer; printing characters follow these symbols. |