

Sterifast

SealPro Auto 500

Automatic sealer · cutting up to 500 mm


C-ST-SP500-2026-10

Parque Empresarial do Padrão, Lote 11, 5460-343 Boticas, Portugal | +351 276 418 287 | info@sterifast.com | www.sterifast.com

01 / OVERVIEW

SealPro Auto 500 at a glance

SealPro Auto 500 feeds, cuts, seals and prints automatically. Set the pouch length and quantity and start the programme. Maximum cutting width: 500 mm.



Technical specifications


Control system	7" capacitive screen (Android)
Max. cutting width	≤ 500 mm
Cutting length	≥ 50 mm
Sealing width	12 mm
Sealing margin	0–35 mm (adjustable)
Working temperature	60–220 °C (adjustable)
Sealing pressure	85 ± 15 N
Power	650 W

02 / FUNCTIONS

Functions and controls

Sealing and printing

Feeds, cuts, seals and prints paper-plastic pouches and reels automatically.



Automatic cycle

Feeding, cutting and sealing with programmable length and quantity.

7" touch screen

Capacitive screen with Android OS and graphical interface.

Several rolls

Rolls of different widths loaded at the same time.

Automatic storage

Automatic data storage. Barcode scanner optional.

Data printing

Sterilization and expiry dates, lot, operator, department, sterilizer and batch No.

Safety stop


Stops if the sealing temperature or pressure leaves the set range.

03 / PACKAGING

Printing, data and materials

Printing and traceability

Printing of sterilization and expiry dates, lot, operator, department, sterilizer and batch No. Automatic storage; barcode scanner optional.



Compatible

- Paper-plastic pouches and rolls complying with EN 868-5
- High-density polyethylene materials (e.g. Tyvek)
- Aluminium composite (no cutting function)

Not compatible

- Paper bags
- Polyethylene film
- Nylon or polypropylene film
- Soft or rigid PVC

Standards

Sealing quality follows ISO 11607-2; pouches and reels complying with EN 868-5.

ISO 11607-2	Validation requirements for sealing processes of packaging for terminally sterilized medical devices.
EN 868-5	Heat-sealable and self-sealable pouches and reels of paper and plastic film for medical devices to be sterilized.
ISO 15223-1	Symbols for labelling and information to be supplied by the manufacturer; printing characters follow these symbols.